





- 
Bordeaux
- 
White
- 
Black
- 
Gunmetal
- 
Champagne



INFORMAZIONI TECNICHE

A 7	KW 7,0-2,5	% 88,3	Kg 125	Kg/H 0,6-1,6	mm 80	mm 60	Kg 15,0
Potenza Globale Global Power Puissance globale Potencia global Verdämmungsleistung	Rendimento totale Total efficiency Puissance globale Potencia global Pellet Wirkungsgrad	Peso Weight Poids Peso Gewicht	Consumo min-MAX Min-Max consumption Consumo min-MAX Min-Maxi verbrauch	Uscita fumi Chimney Output Sortie conduit de cheminée Salida de humos Rauchablass	Ingresso aria Air inlet Entrée d'air Entrada aire Lufteinlass	Serbatatoio pellet Pellet tank Reservoir Pelletbehälter Tank Fassungsvermögen	

TECHNOLOGY



OPTIONAL



Ventilazione Frontale (1 Motore) - Uscita Fumi Posteriore

Front Ventilation (1 Motor) - Rear Exhaust Fume Outlet - Ventilación Frontal (1 Motor) - Salida De Humos Trasera - Ventilation Avant (1 Moteur) - Sortie De Fumée Arrière - Front Gebläse (1 Motor) - Rauchausgang Hinten



Scansiona il **QR Code** e accedi alla pagina web del modello

Scan the **QR Code** and access the web page of the model
 Scannez le **QR Code** et accédez à la page Web du modèle
 Escánee el **Código QR** y acceda a la página web del modelo
 Scannen Sie den **QR-Code** und rufen Sie die Webseite des Modells auf


CANALISÉES LINE



- Bordeaux
- White
- Black
- Gunmetal
- Champagne



CANALIZZATE



INFORMAZIONI TECNICHE

C 7	KW 7,0-2,5	% 88,3	Kg 130	Kg/H 0,6-1,6	mm 80	mm 60	Kg 15,0
Potenza Globale Global Power Puissance globale Potencia global Verbrauchsleistung	Rendimento totale Total efficiency Rendement globale Rendimiento global Pellet Wirkungsgrad	Peso Weight Poids Peso Gewicht	Consumo min-MAX Min-Max consumption Consommation min-MAX Consumo min-maxi Min-Maxi verbrauch	Uscita fumi Chimney Output Sortie conduit de cheminée Ausgang de Humos Rauchablass	Ingresso aria Air inlet Entrée d'air Entrada aire Luftentlass	Serbatoio pellet Pellet tank Reservoir Pelletbehälter Tank Fassungsvermögen	

TECHNOLOGY

-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-

OPTIONAL

-
-
-

1 Uscita Posteriore (1 Motore) - Ventilazione Frontale (1 Motore) - Uscita Fumi Posteriore

1 Rear Outlet (1 Motor) - Front Ventilation (1 Motor) - Rear Exhaust Fume Outlet - 1 Salida Trasera (1 Motor) - Ventilación Frontal (1 Motor) - Salida De Humos Trasera - 1 Sortie Arrière (1 Moteur) - Ventilation Avant (1 Moteur) - Sortie De Fumée Arrière - 1 Ausgang Hinten (1 Motor) - Front Gebläse (1 Motor) - Rauchausgang Hinten



Scansiona il **QR Code** e accedi alla pagina web del modello

Scan the **QR Code** and access the web page of the model
 Scannez le **QR Code** et accédez à la page Web du modèle
 Escánee el **Código QR** y acceda a la página web del modelo
 Scannen Sie den **QR-Code** und rufen Sie die Webseite des Modells auf

RELAX GLOBE

A+




CLEAN



INFORMAZIONI TECNICHE

	Potenza Globale Global Power Puissance globale Potencia global Verdämmungsleistung	Rendimento totale Total efficiency Rendement globale Rendimiento global Pellet Wirkungsgrad	Peso Weight Poids Peso Gewicht	Consumo min-MAX Min-Max consumption Consommation min-MAX Consumo min-maxi Min-Maxi verbrauch	Uscita fumi Chimney Output Sortie conduit de cheminée Ausgang des Rauchschlauchs Rauchauslass	Ingresso aria Air Inlet Entrée d'air Eintrada aire Lufteinlass	Serbatoio pellet Pellet tank Reservoir Pelletbehälter Tank Fassungsvermögen
RELAX 8	KW 8,0-2,4	% 91,9	Kg 157	Kg/H 0,5-1,9	mm 80	mm 60	Kg 18,5
RELAX 6,5	KW 6,5-2,4	% 93,0	Kg 155	Kg/H 0,5-1,5	mm 80	mm 60	Kg 18,5

TECHNOLOGY



OPTIONAL



Uscita Fumi Posteriore

Rear Exhaust Fume Outlet - Salida De Humos Trasera - Sortie De Fumée Arrière - Rauchausgang Hinten



Scansiona il **QR Code** e accedi alla pagina web del modello

Scan the **QR Code** and access the web page of the model
Scannez le **QR Code** et accédez à la page Web du modèle
Escánee el **Código QR** y acceda a la página web del modelo
Scannen Sie den **QR-Code** und rufen Sie die Webseite des Modells auf

RELAX LINE