



INFORMAZIONI TECNICHE

Potenza Globale
Global Power
Potencia global
Verbrennungsleistung

KW 7

Rendimento totale
Total efficiency
Puissance globale
Gesamtausbeute

% 80

Volume riscaldabile
Heating volume
Beheizbares Volumen
Volume de réchauffement

mc 250

Consumo MAX
Max consumption
Consumo máx.
Max verbrauch

Kg/H 2,8


Uscita fumi
Chimney Output
Sortie conduit de cheminée
Auslass des Rauchhausses

mm 160


2 uscite aria calda
2 Warmluftauslässe
2 Warmluftauslässe
2 sorties d'air chaud

mm 120

Peso
Weight
Poids
Peso
Gewicht

Kg 97

TECHNOLOGY



OPTIONAL



Scansiona il **QR Code** e accedi alla pagina web del modello


Scan the **QR Code** and access the web page of the model
Scannez le **QR Code** et accédez à la page Web du modèle
Escánee el **Código QR** y acceda a la página web del modelo
Scannen Sie den **QR-Code** und rufen Sie die Webseite des Modells auf



INFORMAZIONI TECNICHE

Potenza Globale Global Power Puissance globale Potencia global Verbrauchsleistung	Rendimento totale Total efficiency Puissance globale Potencia global Gesamtleistung	Volume riscaldabile Heating volume Volume chauffable Volumen calefactable Volume de réchauffement	Consumo MAX Max consumption Consommation MAX Maxiverbrauch	Uscite fumi Smoke outlet Sortie conduits cheminée Salida conducto de humos Rauchauslass	2 uscite aria calda 2 warm air outlets 2 Warmluftausgänge 2 salidas de aire caliente 2 sorties d'air chaud	Peso Weight Poids Gewicht
KW 7	% 80	mc 250	Kg/H 2,8	mm 160	mm 120	Kg 106

TECHNOLOGY



OPTIONAL



Scansiona il **QR Code** e accedi alla pagina web del modello

Scan the **QR Code** and access the web page of the model
Scannez le **QR Code** et accédez à la page Web du modèle
Escanée el **Código QR** y acceda a la página web del modelo
Scannen Sie den **QR-Code** und rufen Sie die Webseite des Modells auf